

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Sales No. : PM-ECOM-002
Taste Magic Butter Bake Flavor

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Flavours : Flavouring for foodstuffs. Not for retail sale

1.3 Details of the supplier of the safety data sheet

Company :
Givaudan (India) Private Ltd.,
MIDC Andheri (E) Mumbai 400093
401 Akruiti Center Point,
1st Floor MIDC Central Road,
MUMBAI 400093
INDIA

Telephone : +912266625700
Telefax : +91226662575
E-mail address : global.sds_info@givaudan.com
Responsible/issuing person

1.4 Emergency telephone number

+6531581198
Please refer to section 16 for a full list of emergency phone numbers.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (Globally Harmonized System)

Flammable liquids, Category 4	H227: Combustible liquid.
Skin corrosion/irritation, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage/eye irritation, Category 1	H318: Causes serious eye damage.
Short-term (acute) aquatic hazard, Category 3	H402: Harmful to aquatic life.

2.2 Label elements

Labelling (Globally Harmonized System)

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H227
H314
H402

Combustible liquid.
Causes severe skin burns and eye damage.
Harmful to aquatic life.

Precautionary statements :

Prevention:
P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264
P273
P280

Wash skin thoroughly after handling.
Avoid release to the environment.
Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P361 + P354 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.

P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.

P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.

P363
P370 + P378 Wash contaminated clothing before reuse.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403
P405

Store in a well-ventilated place.
Store locked up.

Disposal:

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

- butyric acid 107-92-6
- valeric acid 109-52-4

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30

Sales & Distribution Information: MU02/FL/XX10/01

Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

2.3 Other hazards

no data available

SECTION 3. Composition/information on ingredients

Chemical name	CAS-No. EC-No.	Classification (Globally Harmonized System)	Concentration [%]
butyric acid	107-92-6 203-532-3	Flam. Liq. 4; H227 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 3; H402	>= 5 - < 10
6-Pentyltetrahydro-2H-pyran-2-one	705-86-2 211-889-1	Flam. Liq. 4; H227 Aquatic Acute 2; H401	>= 2.5 - < 5
3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	121-33-5 204-465-2	Acute Tox. 5; H303 Acute Tox. 5; H313 Eye Irrit. 2A; H319 Aquatic Acute 3; H402	>= 1 - < 2.5
valeric acid	109-52-4 203-677-2	Flam. Liq. 4; H227 Acute Tox. 5; H303 Acute Tox. 5; H313 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 3; H402	>= 1 - < 2.5
6-Heptyltetrahydro-2H-pyran-2-one	713-95-1 211-932-4	Skin Irrit. 3; H316	>= 1 - < 5
pentane-2,3-dione	600-14-6 209-984-8	Acute Tox. 5; H313 Acute Tox. 5; H303 Eye Dam. 1; H318 Aquatic Acute 3; H402 Flam. Liq. 2; H225 Skin Irrit. 3; H316 Skin Sens. 1B; H317 STOT RE 2; H373	>= 0.1 - < 0.25

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Move to fresh air.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30

Sales & Distribution Information: MU02/FL/XX10/01

Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

- If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Remove contact lenses.
Immediately flush eyes for at least 15 minutes. Get medical attention.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : no data available
- Risks : Causes serious eye damage.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : no data available

SECTION 5. Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical
Alcohol-resistant foam
Carbon dioxide (CO2)
Water spray
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Not applicable

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

SAFETY DATA SHEET

according to the Globally Harmonized System

Givaudan

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking.
Keep in a well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Ambient / 10-30°C (50-85°F)
Preferably full, hermetically sealed
Advice on common storage : no data available
Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Not applicable

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30

Sales & Distribution Information: MU02/FL/XX10/01

Shipping Order Information: 28,864,958/24,423,404

SAFETY DATA SHEET

according to the Globally Harmonized System

Givaudan

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

8.2.1 Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

- Eye/face protection : Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard.
- Hand protection : Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently. If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time.
- Other skin protection : Wear working clothes covering arms and legs. The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.
- Respiratory protection : Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.
- In case a risk analysis proved the cartridge respirator as acceptable, use type:
ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30

Sales & Distribution Information: MU02/FL/XX10/01

Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

backup to engineering controls.

In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).

Thermal hazards : Wear appropriate thermal protective clothing, when necessary.

Hygiene measures : Remove contaminated clothing and protective equipment before entering eating areas.
Do not eat, drink or smoke during work.
Wash hands any time after handling the product.

8.2.3 Environmental exposure controls

General advice : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Form : Liquid low-medium viscosity, clear-almost clear
Colour : Pale yellow to yellow
Taste : Buttery, vanillic, acidic
Odour : not determined
Odour Threshold : Not applicable
Flash point : 85 °C Method: Grabner miniflash closed cup
Lower explosion limit : not determined
Upper explosion limit : not determined
Flammability : Not applicable
Oxidizing properties : no data available
Auto-ignition temperature : not determined
Decomposition temperature : no data available
pH : not determined
Vapour pressure : 0.2985 hPa at 20 °C Calculated (14.6 %)
Density : 922.33 kg/m3 at 20 °C
Bulk density : Not applicable
Water solubility : not determined
Solubility/qualitative : insoluble
Partition coefficient: n-octanol/water : Not applicable
Viscosity, kinematic : no data available
Relative vapour density : no data available
Evaporation rate : no data available

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

SECTION 10. Stability and reactivity

10.1 Reactivity

none

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : no data available

10.6 Hazardous decomposition products

Hazardous decomposition products : no data available
Thermal decomposition : no data available

SECTION 11. Toxicological information

Information on toxicological effects

Acute toxicity

Acute oral toxicity : Acute toxicity estimate
Dose: > 5,000 mg/kg
Method: Calculation method

Acute oral toxicity
butyric acid : LD50: 1,630 mg/kg Species: Rat

3-methoxy-4-hydroxy-benzaldehyde : LD50: 3,300 mg/kg Species: Rat
(= Vanillin)

valeric acid : LD50: 4,600 mg/kg Species: Rat

6-Heptyltetrahydro-2H-pyran-2-one : LD50: > 5,000 mg/kg Species: Rat

Acute inhalation toxicity : No data is available on the product itself.

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

Acute dermal toxicity : Acute toxicity estimate
Dose: > 5,000 mg/kg
Method: Calculation method

Acute dermal toxicity
6-Pentyltetrahydro-2H-pyran-2-one : LD50: > 5,000 mg/kg Species: Rabbit

3-methoxy-4-hydroxy-benzaldehyde : LD50: 2,600 mg/kg Species: Rat
(= Vanillin)

6-Heptyltetrahydro-2H-pyran-2-one : LD50: > 5,000 mg/kg Species: Rabbit

Acute toxicity (other routes of administration) : No data is available on the product itself.

Skin corrosion/irritation

Skin irritation : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitisation

Sensitisation : No data is available on the product itself.

Germ cell mutagenicity

Germ cell mutagenicity : No data is available on the product itself.

Carcinogenicity

Carcinogenicity : No data is available on the product itself.

Reproductive toxicity

Not classified based on available information.

Target Organ Systemic Toxicant - Single exposure

Target Organ Systemic Toxicant - Single exposure : No data is available on the product itself.

Target Organ Systemic Toxicant - Repeated exposure

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

Target Organ Systemic Toxicant - Repeated exposure : No data is available on the product itself.

Aspiration hazard

Aspiration toxicity : No data is available on the product itself.

Phototoxicity

Phototoxicity : No data is available on the product itself.

Further information : no data available

SECTION 12. Ecological information

Ecotoxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

SECTION 14. Transport information

14.1 UN number

ADR : UN 1760

IMDG : UN 1760

IATA : UN 1760

14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, N.O.S.
(Butyric acid, Pentanoic acid)

IMDG : CORROSIVE LIQUID, N.O.S.
: (Butyric acid, Pentanoic acid)

IATA : Corrosive liquid, n.o.s.
(Butyric acid, Pentanoic acid)

14.3 Transport hazard class(es)

ADR : 8

IMDG : 8

IATA : 8

14.4 Packing group

ADR : III

IMDG : III

IATA : III

14.5 Environmental hazards

ADR
Environmentally hazardous : no

IMDG
Marine pollutant : no

14.6 Special precautions for user

ADR
Tunnel restriction code : (E)

IMDG
IMDG Code Segregation : 1. Acids
Group

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

Taste Magic Butter Bake Flavor

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

14.7 Transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no additional relevant information

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.

Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
Europe	All Europe	+44 1235 239670	APAC	All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
	Germany	+49 89 220 61012		Taiwan	+886 2 8793 3212
	Spain	+34 91 114 2520		Japan	0120 015 230
	Italy	800 699 792		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347
	Turkey	0800 621 2139 +44 1235 239670		Thailand	001 800 120 666 751
	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182		Pakistan	+65 3158 1329
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200
Denmark	+45 8988 2286	Philippines	+63 2 8231 2149		

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30
Sales & Distribution Information: MU02/FL/XX10/01
Shipping Order Information: 28,864,958/24,423,404

SAFETY DATA SHEET

according to the Globally Harmonized System

Givaudan**Taste Magic Butter Bake Flavor**

Version 2.0

Revision Date 26 JUL 2023

Print Date 16 DEC 2023

	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388
	Poland	+48 22 307 3690		Korea	+65 3158 1285
	Czech republic	+420 228 882 830		South Korea	+82 2 3479 8401
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
Middle East/Africa	All Middle East/Africa	+44 1235 239671		New Zealand	+64 9 929 1483
	Bahrain and Middle East	+44 1235 239671		China	+86 532 8388 9090
	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763
NOAM	USA and Canada	+1 866 928 0789	LATAM	Brazil	+55 11 3197 5891
	USA and Canada	+1 215 207 0061		Chile	+56 2 2582 9336
	USA and Canada	+1 202 464 2554		Colombia	+57 1 508 7337
Global	Global	+44 1865 407333		Argentina	+54 11 5984 3690

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/30

Sales & Distribution Information: MU02/FL/XX10/01

Shipping Order Information: 28,864,958/24,423,404