# Givaudan

Taste Magic Milky Ca			
Version 12.1 R	evision Date 16	3 DEC 2023	Print Date 16 DEC 2023
SECTION 1. Identification of	of the substa	nce/mixture and o	of the company/undertaking
1.1 Product identifier			
Sales No.	: PM-EC Taste N	:OM-030 Magic Milky Caramel	Flv
1.2 Relevant identified uses o	f the substand	ce or mixture and u	ses advised against
Intended Use Flavours	: Flavour	ring for foodstuffs. N	ot for retail sale
1.3 Details of the supplier of t	he safety data	sheet	
Company	MIDC A 401 Ak 1st Floo	an (India) Private Lt Andheri (E) Mumbai ruti Center Point, or MIDC Central Roa AI 400093	400093
Telephone Telefax E-mail address Responsible/issuing persor			com
1.4 Emergency telephone nur	nber		
+6531581198 Please refer to section 16 f	or a full list of e	emergency phone nu	imbers.
SECTION 2. Hazards identi 2.1 Classification of the subst		Ire	
Classification (Globally H			
Serious eye damage/eye ir Category 2A	-	-	erious eye irritation.
Skin sensitisation, Categor	y 1	H317: May caus	e an allergic skin reaction.
2.2 Label elements			
Labelling (Globally Harm	onized System	n)	
Hazard pictograms			
Administrative information: Report Information: SDS_IN/EN/GHS_ Sales & Distribution Information: MU0 Shipping Order Information: 28,865,03	2/FL/XX10/01	//30	

### Givaudan

0 ,			$\bigcirc$	avaan
Taste Magic Milky Ca				
Version 12.1 R	evision Date	16 DEC 2023	Print	Date 16 DEC 202
Signal word	: Warnir	ng		
	. 1047			
Hazard statements	: H317		lay cause an allergic ski	
	H319	Ĺ	Causes serious eye irritat	ion.
Precautionary statements	: Preve	ntion		
Trecadionary statements	. P261		Avoid breathing mist or va	noure
	P264+	.D265 V	Vash hands thoroughly a	fter handling Do
	1 2047		ot touch eyes.	itel handling. Do
	P272		Contaminated work clothi	na should not be
	1212		allowed out of the workpla	
	P280		Vear protective gloves/ e	
	1 200		protection.	
	Respo	•		
			F ON SKIN: Wash with p	lentv of water
		+ P351 + P338		
			vater for several minutes.	
			enses, if present and eas	
			insing.	,
	P333 -	+ P317 lf	f skin irritation or rash oc	curs: Get medical
			nelp.	
	P337 -		f eye irritation persists: G	et medical help.
	P362 -		ake off contaminated clo	
		b	efore reuse.	Ū
	Dispo	sal:		
	P501	C	Dispose of contents/ cont	ainer to an
		а	approved waste disposal	plant.
Hazardous components w			abel:	
<ul> <li>4-hydroxy-2,5-dimethy</li> </ul>	1-3(2H)-	3658-77-3		
furanone (= furaneol)				
.3 Other hazards				
o data available				
o uala avaliable				
SECTION 3. Composition/i	nformation	on ingredie	nts	
Chemical name		CAS-No.	Classification	Concentration [%]
Chemica name		EC-No.	(Globally Harmonized	Concentration [76]
			System)	
3-methoxy-4-hydroxy-benzaldehy	•	1-33-5	Acute Tox. 5; H303	>= 10 - < 20
Vanillin)	204	4-465-2	Acute Tox. 5; H313	
			Eye Irrit. 2A; H319 Aquatic Acute 3; H402	
			Aqualio Acule 3, 11402	
	· ·		·	

## Givaudan

### Taste Magic Milky Caramel Flv

ersion 12.1	Revision D	ate 16 DEC 2023	Prin	t Date 16 DEC 20
4-hydroxy-2,5-dimethyl-3(2H)-ft furaneol)	uranone (=	3658-77-3 222-908-8	Acute Tox. 4; H302 Skin Corr. 1B; H314 Skin Sens. 1A; H317 Eye Dam. 1; H318 Aquatic Acute 2; H401	>= 0.25 - < 1
2,3-Butanedione		431-03-8 207-069-8	Flam. Liq. 2; H225 Acute Tox. 4; H302 Acute Tox. 3; H331 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Acute 3; H402	>= 0.25 - < 1
1,3-Benzodioxole-5-carboxalde piperonal)	hyde (=	120-57-0 204-409-7	Acute Tox. 5; H303 Skin Sens. 1B; H317 Aquatic Acute 2; H401	>= 0.25 - < 1
3,4-dimethoxy benzaldehyde		120-14-9 204-373-2	Skin Sens. 1B; H317 Acute Tox. 4; H302 Aquatic Acute 3; H402	>= 0.1 - < 0.25

### SECTION 4. First aid measures

#### 4.1 Description of first aid measures

4.1 Description of first aid measur	65
General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	: If on skin, rinse well with water.
In case of eye contact	: Remove contact lenses. Immediately flush eyes for at least 15 minutes. Get medical attention.
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul>
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms Risks	<ul> <li>no data available</li> <li>May cause an allergic skin reaction.</li> <li>Causes serious eye irritation.</li> </ul>
Administrative information: Report Information: SDS_IN/EN/GHS_SDS_ Sales & Distribution Information: MU02/FL/X	

### SAFETY DATA SHEET

according to the Globally Harmonized System

# Givaudan

Taste Magic Milky Carar			
Version 12.1 Revis	sion	Date 16 DEC 2023	Print Date 16 DEC 202
I.3 Indication of any immediate I	mec	ical attention and special treatme	nt needed
Treatment	:	no data available	
SECTION 5. Firefighting meas	sure	25	
5.1 Extinguishing media			
Suitable extinguishing media	:	Dry chemical	
		Alcohol-resistant foam Carbon dioxide (CO2)	
		Water spray	
Unsuitable extinguishing	:	no data available	
media			
5.2 Special hazards arising from	the	substance or mixture	
Specific hazards during firefighting	:	no data available	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	Wear self-contained breathing appa necessary.	aratus for firefighting if
Further information	:	Standard procedure for chemical fir Use extinguishing measures that an circumstances and the surrounding	e appropriate to local
SECTION 6. Accidental releas			
		equipment and emergency proce	
Personal precautions	:	Use personal protective equipment	
3.2 Environmental precautions			
Environmental precautions	:	Prevent product from entering drain If the product contaminates rivers a respective authorities.	
6.3 Methods and materials for co	onta	inment and cleaning up	
Methods for cleaning up		Soak up with inert absorbent mater	ial (e.g. sand, silica gel,
Administrative information:	0.1.		
Report Information: SDS_IN/EN/GHS_SD Sales & Distribution Information: MU02/FL Shipping Order Information: 28,865,034/24	/XX1	0/01	

### Givaudan

Taste Magic Milky Caramel Flv Revision Date 16 DEC 2023 Version 12.1 Print Date 16 DEC 2023 acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. 6.4 Reference to other sections Not applicable SECTION 7. Handling and storage 7.1 Precautions for safe handling Advice on safe handling : Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Advice on protection against : Normal measures for preventive fire protection. fire and explosion 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage : Keep container tightly closed in a dry and well-ventilated areas and containers place. Electrical installations / working materials must comply with the technological safety standards. Further information on : Ambient / 10-30℃ (50-85°F) Preferably full, hermetically sealed storage conditions Advice on common storage : no data available Other data : No decomposition if stored and applied as directed. 7.3 Specific end use(s) Not applicable SECTION 8. Exposure controls/personal protection 8.1 Control parameters Components CAS-No. Value Control parameters Update Basis 2.3-Butanedione 431-03-8 TWA 0.01 ppm 2013-03-01 ACGIH Further A4: Not classifiable as a human carcinogen information Administrative information: Report Information: SDS\_IN/EN/GHS\_SDS\_UN\_CNTRY/30 Sales & Distribution Information: MU02/FL/XX10/01

## Givaudan

Та	ste Magic	Milky Carar	nel Flv				
Vers	sion 12.1	Revis	ion Date 16	DEC 202	3	Print Date 1	16 DEC 2023
				STEL	0.02 ppm	2013-03-01	ACGIH
	Further information	: A4: Not class	ifiable as a hurr	nan carcino	gen		
				STEL	0.025 ppm		NIOSH REL
				TWA	0.005 ppm		NIOSH REL

#### 8.2 Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the prod-uct's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

#### 8.2.1 Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

#### 8.2.2 Personal protective equipment

Eye/face protection	: Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard.
Hand protection	<ul> <li>Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523- 1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently. If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard,</li> </ul>

Administrative information:

Report Information: SDS\_IN/EN/GHS\_SDS\_UN\_CNTRY/30

Sales & Distribution Information: MU02/FL/XX10/01 Shipping Order Information: 28,865,034/24,423,455

# Givaudan

tested for chemicals indicated in chapter 3 of this SDS.         Permeation time must exceed contact time.         Other skin protection       : Wear working clothes covering arms and legs. The type of protective equipment must be selected accordin to the concentration and amount of the hazardous substand at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.         Respiratory protection       : Respiratory protection should be worn when workplace exposures exceed exposure limits or guidelines, use approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or o or where indicated by the exposure assessment. Selection air-purifying or positive-pressure same supplied-air will depend or the results of the exposure conditions, use an approved positive-pressure self-contained breathing apparatus.         In case a risk analysis proved the cartridge respirator as acceptable, use type: ABEK-P3 (EN 14327) OR Combination Multi-gas/P100 (42CFR84.193; ANSI 288.7 or equivalent local standard) as backup to engineering controls.         In absence of engineering controls.       In absence of engineering controls.         In absence of engineering controls.       In cessary. Dis respirators and components tested and approved unde appropriate government standards such as CEN (EU) or NICSH 42 CFR 84 (US).         Thermal hazards       : Wear appropriate thermal protective clothing, when necessary.         Hygiene measures       : Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product.	aste Magic Milky C	Caramel Flv	
Permeation time must exceed contact time.         Other skin protection       : Wear working clothes covering arms and legs. The type of protective equipment must be selected accordin to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.         Respiratory protection       : Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guideline, use approved respiratory where there is a potential for adverse effects, including but not limited to respiratory irritation or or where indicated by the exposure assessment. Selection air-purifying or positive-pressure supplied-air will depend or the results of the exposure assessment which includes an evaluation of the specific operations and the potential airbo concentrations. For emergency conditions, use an approver positive-pressure self-contained breathing apparatus.         In case a risk analysis proved the cartridge respirator as acceptable, use type: ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI 288.7 or equivalent local standard) at backup to engineering controls.         In absence of engineering controls.       In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved unde approved unde approved enting eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product.         8.2.3 Environmental exposure controls       : Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product.         8.2.3 Environmental exposure c	rsion 12.1	Revision Date 16 DEC 2023	Print Date 16 DEC 20
The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sileeve covers or complete chemical suit if exposure is expected.         Respiratory protection       Respiratory protection should be worn when workplace exposure limits or guidelines, use approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or or or where indicated by the exposure assessment. Selection air-purfying or positive-pressure supplied-air will depend or the results of the exposure assessment which includes an evaluation of the specific operations, use an approved positive-pressure self-contained breathing apparatus.         In case a risk analysis proved the cartridge respirator as acceptable, use type:       ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.133; ANSI 288.7 or equivalent local standard) at backup to engineering controls.         In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators.       Use respirators and components tested and approved unde appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).         Thermal hazards       :       Wear appropriate thermal protective clothing, when necessary.         Hygiene measures       :       Remove contaminated clothing and protective equipment before entering eating areas.         Do not eat, drink or smoke during work.       Wash hands any time after handling the product. <b>8.1.3 Environmental exposure controls</b> Prevent product from entering drains. If the product forther handling the product. <b>8</b>			
<ul> <li>exposures exceed exposure limit requirements or guidelines, use approved respirator where there is a potential for adverse effects, including but not limited to respiratory iritation or or or where indicated by the exposure assessment. Selection air-purfying or positive-pressure supplied-air will depend or the results of the exposure assessment which includes an evaluation of the specific operations and the potential airbo concentrations. For emergency conditions, use an approved positive-pressure supplied-air will depend or the results of the exposure assessment which includes an evaluation of the specific operations and the potential airbo concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.</li> <li>In case a risk analysis proved the cartridge respirator as acceptable, use type: ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193, ANSI 288.7 or equivalent local standard) at backup to engineering controls.</li> <li>In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved unde appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).</li> <li>Thermal hazards : Wear appropriate thermal protective clothing, when necessary.</li> <li>Hygiene measures : Remove contralinated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product.</li> <li><b>8.2.3 Environmental exposure controls</b> from entering drains. If the product form entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>	Other skin protection	The type of protective equi to the concentration and ar at the specific workplace. L	pment must be selected according mount of the hazardous substance Jse apron and sleeve covers or
acceptable, use type:         ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as backup to engineering controls.         In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved unde appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).         Thermal hazards       :         Wear appropriate thermal protective clothing, when necessary.         Hygiene measures       :         Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product.         8.2.3 Environmental exposure controls         General advice       :         Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.	Respiratory protection	exposures exceed exposur If there are no applicable e approved respirator where effects, including but not lin or where indicated by the e air-purifying or positive-pre the results of the exposure evaluation of the specific o concentrations. For emerge	re limit requirements or guidelines exposure limits or guidelines, use a there is a potential for adverse mited to respiratory irritation or odd exposure assessment. Selection o ssure supplied-air will depend on assessment which includes an perations and the potential airborr ency conditions, use an approved
breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).         Thermal hazards       : Wear appropriate thermal protective clothing, when necessary.         Hygiene measures       : Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product.         8.2.3 Environmental exposure controls       : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.		acceptable, use type: ABEK-P3 (EN 14387) OR ( (42CFR84.193; ANSI Z88.	Combination Multi-gas/P100 7 or equivalent local standard) as
Hygiene measures       : Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product.         8.2.3 Environmental exposure controls         General advice       : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.		breathing apparatus or full Use respirators and compo appropriate government sta	face supplied air respirators. onents tested and approved under
before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product. 8.2.3 Environmental exposure controls General advice : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.	Thermal hazards		protective clothing, when
General advice : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.	Hygiene measures	before entering eating area Do not eat, drink or smoke	as. during work.
If the product contaminates rivers and lakes or drains inform respective authorities.	8.2.3 Environmental ex	xposure controls	
	General advice	If the product contaminates	ring drains. s rivers and lakes or drains inform
	ministrative information:	HS SDS UN CNTRY/30	

### SAFETY DATA SHEET

according to the Globally Harmonized System

# Givaudan

 Taste Magic Milky Caramel Flv

 Version 12.1
 Revision Date 16 DEC 2023

Print Date 16 DEC 2023

### **SECTION 9. Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: Liquid medium viscosity, clear
Colour	: brown
Taste	: Sweet, Brown, Vanilla-like, Caramel
Odour	: not determined
Odour Threshold	: Not applicable
Flash point	: 94 °C Method: Grabner miniflash closed cup
Lower explosion limit	: not determined
Upper explosion limit	: not determined
Flammability	: Not applicable
Oxidizing properties	: no data available
Auto-ignition temperature	: not determined
Decomposition temperature	: no data available
pH .	: not determined
Melting point	: not determined
Boiling point	: not determined
Vapour pressure	: 0.662 hPa at 20 ℃ Calculated (92.4 %)
Density	: 1,104.00 kg/m3 at 20 ℃
Bulk density	: Not applicable
Water solubility	: not determined
Solubility/qualitative	: completely soluble
Partition coefficient: n-	: Not applicable
octanol/water	
Viscosity, kinematic	: no data available
Relative vapour density	: no data available
Evaporation rate	: no data available
-	

#### SECTION 10. Stability and reactivity

### 10.1 Reactivity none 10.2 Chemical stability The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decompo	sition if stored and applied as directed.
----------------------------------	---

#### 10.4 Conditions to avoid

Conditions to avoid

: no data available

#### 10.5 Incompatible materials

Materials to avoid : no data available

Report Information: SDS\_IN/EN/GHS\_SDS\_UN\_CNTRY/30 Sales & Distribution Information: MU02/FL/XX10/01

Administrative information:

# Givaudan

Taste Magic Milky Caran Version 12.1 Revisi	OPERATION OF THE OPERAT	Print Date 16 DEC 202
0.6 Hazardous decomposition p	roducts	
Hazardous decomposition products	: no data available	
Thermal decomposition	: no data available	
ECTION 11. Toxicological inf	ormation	
nformation on toxicological effect	cts	
Acute toxicity		
Acute oral toxicity	: Acute toxicity estimate Dose: > 5,000 mg/kg Method: Calculation method	
Acute oral toxicity 3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	: LD50: 3,300 mg/kg	Species: Rat
4-hydroxy-2,5-dimethyl-3(2H)- furanone (= furaneol)	: LD50: 2,320 mg/kg	Species: Rat
2,3-Butanedione	: LD50: 1,580 mg/kg	Species: Rat
1,3-Benzodioxole-5-carboxaldehyde (= piperonal)	: LD50: 2,700 mg/kg	Species: Rat
3,4-dimethoxy benzaldehyde	: LD50: 2,000 mg/kg	Species: Rat
Acute inhalation toxicity	: Acute toxicity estimate Exposure time: 4 h	
	Dose: > 40.00 mg/l Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate Dose: > 5,000 mg/kg Method: Calculation method	
Acute dermal toxicity 3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	: LD50: 2,600 mg/kg	Species: Rat
2,3-Butanedione	: LD50: > 5,000 mg/kg	Species: Rabbit
1,3-Benzodioxole-5-carboxaldehyde (= piperonal)	: LD50: > 5,000 mg/kg	Species: Rat
Acute toxicity (other routes	: No data is available on the pr	oduct itself.

### Givaudan

sion 12.1 Rev	ision Date 16 DEC 2023	Print Date 16 DEC
of administration)		
Skin corrosion/irritation		
Skin irritation	: May cause skin irritation and/	or dermatitis.
Serious eye damage/eye ir	ritation	
Eye irritation	: Vapours may cause irritation and the skin.	to the eyes, respiratory syste
Respiratory or skin sensiti	sation	
Sensitisation	: No data is available on the pro-	oduct itself.
Germ cell mutagenicity		
Germ cell mutagenicity	: No data is available on the pro-	oduct itself.
Carcinogenicity		
Carcinogenicity	: No data is available on the pro-	oduct itself.
Reproductive toxicity Not classified based on avai	able information.	
Target Organ Systemic To	kicant - Single exposure	
Target Organ Systemic Toxicant - Single exposure	: No data is available on the pro-	oduct itself.
Target Organ Systemic To	kicant - Repeated exposure	
Target Organ Systemic Toxicant - Repeated exposure	: No data is available on the pro-	oduct itself.
Aspiration hazard		
Aspiration toxicity	: No data is available on the pro-	oduct itself.
Phototoxicity		
Phototoxicity Further information	: No data is available on the pro: : no data available	oduct itself.

## Givaudan

Taste Magic Milky Cara	mel Flv					
	sion Date 16 DEC 2023	Print Date 16 DEC 2023				
SECTION 12. Ecological infor	mation					
Ecotoxicity no data available						
Persistence and degradabil no data available	ity					
Bioaccumulative potential no data available						
<b>Mobility in soil</b> no data available						
Other adverse effects						
Product: Additional ecological information	: no data available					
SECTION 13. Disposal consid	derations					
13.1 Waste treatment methods						
Product	: Do not dispose of waste into sew Do not contaminate ponds, water chemical or used container. Send to a licensed waste manage	ways or ditches with				
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.					
Dispose of in accordance with	n local regulations.					
SECTION 14. Transport inform	mation					
N/A						
14.2 UN proper shipping name						
Not regulated as a dangerous good						
14.3 Transport hazard class(es)						
Administrative information: Report Information: SDS_IN/EN/GHS_SD Sales & Distribution Information: MU02/FI Shipping Order Information: 28,865,034/2	_/XX10/01					

#### SAFETY DATA SHEET aizad Sveti

### Givanda

according	to the Globally H			U	ivaudan
Taste N Version 12		Caramel Flv Revision Date 16 DE	C 2023	P	Print Date 16 DEC 2023
			0 2020		
N/A					
4.4 Packir	ig group				
N/A					
4.5 Enviro	onmental hazaro	ds			
N/A					
4.6 Specia	al precautions f	or user			
<b>IMDG</b> IMDG Group	Code Segregatio	on : None			
-	port in bulk acc plicable for prod	ording to IMO instrun uct as supplied.	nents		
I5.1 Safety nixture		vironmental regulatio	ns/legislatio	on specific for t	he substance or
15.1 Safety nixture no add	-	vironmental regulatio	ns/legislatio	on specific for t	he substance or
5.1 Safety nixture no add	r, health and en litional relevant in 16. Other info	vironmental regulatio		·	he substance or
I5.1 Safety nixture no add SECTION Full te H225 H302 H303 H313 H314 H315 H317 H318 H319 H331 H319 H331 H373 H401 H402	r, health and en litional relevant in 16. Other info xt of H-Stateme	vironmental regulation nformation rmation ents referred to under Highly flammable liqu Harmful if swallowed May be harmful if swallowed May be harmful in co Causes severe skin b Causes severe skin b Causes serious eye of Causes eye of Cause	sections 2 allowed. ntact with sk burns and ey c skin reactio damage. rritation. o organs thr	<b>and 3.</b> ur. kin. ve damage. on.	he substance or
I5.1 Safety nixture no add SECTION Full te H225 H302 H303 H313 H314 H315 H317 H318 H319 H331 H319 H331 H373 H401 H402	r, health and en litional relevant in 16. Other info xt of H-Stateme	vironmental regulation nformation rmation ents referred to under Highly flammable liqu Harmful if swallowed. May be harmful if swallowed. May be harmful in co Causes severe skin b Causes severe skin b Causes serious eye of Causes damage to Toxic to aquatic life. Harmful to aquatic life	sections 2 allowed. ntact with sk burns and ey c skin reactio damage. rritation. o organs thr	<b>and 3.</b> ur. kin. ve damage. on.	

### SAFETY DATA SHEET

according to the Globally Harmonized System

## Givaudan

Taste M	agic Milky	Caramel Flv				
Version 12.1		Revision Date 16 DEC 2023		F	Print Date 16 DEC 2023	
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195	
	Germany	+49 89 220 61012		Taiwan	+886 2 8793 3212	
	Spain	+34 91 114 2520		Japan	0120 015 230	
	Italy	800 699 792		Indonesia	007 803 011 0293	
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347	
	Turkey Norway Greece	0800 621 2139 +44 1235 239670		Thailand	001 800 120 666 751	
		+47 2103 4452		India	+65 3158 1198 000 800 100 7479	
		+30 21 1198 3182		Pakistan	+65 3158 1329	
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200	
	Denmark	+45 8988 2286		Philippines	+63 2 8231 2149	
	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388	
	Poland	+48 22 307 3690		Korea	+65 3158 1285	
	Czech replublic	+420 228 882 830		South Korea	+82 2 3479 8401	
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558	
Middle East/Africa	All Middle East/Africa	+44 1235 239671		New Zealand	+64 9 929 1483	
	Bahrain and Middle East	+44 1235 239671		China	+86 532 8388 9090	
	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763	
NOAM	USA and Canada	+1 866 928 0789	LATAM	Brazil	+55 11 3197 5891	
	USA and Canada	+1 215 207 0061		Chile	+56 2 2582 9336	
	USA and Canada	+1 202 464 2554		Colombia	+57 1 508 7337	
Global	Global	+44 1865 407333		Argentina	+54 11 5984 3690	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

Givaudan

### Taste Magic Milky Caramel Flv

Version 12.1

Revision Date 16 DEC 2023

Print Date 16 DEC 2023