

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 Issue date: 14/05/2021 Revision date: 03/03/2025 Supersedes version of: 05/05/2023 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : ORGANIC STRAWBERRY FLAVOUR FR-0292

UFI : NM94-YTVC-DJ0N-TH6M

Product code : FRAI-FR0292

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use

1.3. Details of the supplier of the safety data sheet

SELECTAROME SAS 45 Bd Marcel Pagnol PA Aromagrasse FR 06130 GRASSE France

T+33 4.93.36.22.22, F 04.93.40.71.72

reglementaire@selectarome.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
France	ORFILA		+33 1 45 42 59 59	This number provides contact details for all French anti-poison centres. These anti-poison and toxicovigilance centres provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]
Flammable liquids, Category 3 H226
Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.
H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

P280 - Wear protective gloves, protective clothing, eye protection. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol/ ethyl alcohol substance with national workplace exposure limit(s) (FR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	15 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Acetic acid substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	< 0,1	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 (ATE=1060 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318
Glycerol substance with national workplace exposure limit(s) (FR)	CAS-No.: 56-81-5 EC-No.: 200-289-5	< 0,1	Not classified

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Acetic acid	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	$(10 \le C < 25)$ Skin Irrit. 2; H315 $(10 \le C < 25)$ Eye Irrit. 2; H319 $(25 \le C < 90)$ Skin Corr. 1B; H314 $(90 \le C \le 100)$ Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

03/03/2025 (Revision date) EN (English) 2/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers

or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and

eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling

the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Switzerland

Storage class (LK) : LK 3 - Flammable liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Glycerol (56-81-5)	
France - Occupational Exposure Limits	
Local name Glycérine (aérosols de)	
VME (OEL TWA) 10 mg/m ³	

03/03/2025 (Revision date) EN (English) 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Glycerol (56-81-5)		
Remark	Valeurs recommandées/admises	
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 6443, 2022; Outil65)	
Acetic acid (64-19-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Acetic acid	
IOEL TWA	25 mg/m³	
	10 ppm	
IOEL STEL	50 mg/m³	
	20 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
France - Occupational Exposure Limits		
Local name	Acide acétique	
VME (OEL TWA)	25 mg/m³	
	10 ppm	
VLE (OEL C/STEL)	50 mg/m ³	
	20 ppm	
Remark	Valeurs règlementaires indicatives	
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 6443, 2022; Outil65; Arrête du 27 septembre 2019)	
ethanol/ ethyl alcohol (64-17-5)		
France - Occupational Exposure Limits		
Local name	Alcool éthylique	
VME (OEL TWA)	1900 mg/m³	
	1000 ppm	
VLE (OEL C/STEL)	9500 mg/m³	
	5000 ppm	
Remark	Valeurs recommandées/admises	
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 6443, 2022; Outil65)	
8.2. Exposure controls		

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment symbol(s):







Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Dark red. Odour : Characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available **Boiling** point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available

: 25 °C Flash point

Auto-ignition temperature Decomposition temperature : Not available рΗ : 4,4 (3,4-5,4)Viscosity, kinematic : Not available Solubility : soluble in water. : Not available Partition coefficient n-octanol/water (Log Kow) Vapour pressure : Not available : Not available Vapour pressure at 50°C : Not available Density : 1,21 (1,19 - 1,23) Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulat	ion (EC) No 1272/	2008
---	-------------------	------

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Glycerol (56-81-5)		
LD50 oral rat	27 mg/kg bodyweight Animal: rat, Animal sex: female	
Acetic acid (64-19-7)		
LD50 oral rat	3310 mg/kg bodyweight Animal: rat	
LD50 oral	4960 mg/kg bodyweight Animal: mouse	
LD50 dermal rabbit	1060 mg/kg Source: HSDB, NITE	
LC50 Inhalation - Rat [ppm]	16000 ppm Source: ChemIDPlus	
ethanol/ ethyl alcohol (64-17-5)		
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560	
LD50 oral	8300 mg/kg bodyweight Animal: mouse	
Skin corrosion/irritation :	Not classified (Based on available data, the classification criteria are not met)	
	pH: 4,4 (3,4 – 5,4)	
Acetic acid (64-19-7)		

Acetic acid (64-19-7)		
рН	2,4 Source: ECHA	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 4,4 (3,4 – 5,4)	

Acetic acid (64-19-7)	
рН	2,4 Source: ECHA
Respiratory or skin sensitisation :	Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity

IARC group	1 - Carcinogenic to humans
Reproductive toxicity :	Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Acetic acid (64-19-7)		
NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male	
ethanol/ ethyl alcohol (64-17-5)		
LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)		
Acetic acid (64-19-7)		
Viscosity, kinematic	1,015 mm²/s	
ethanol/ ethyl alcohol (64-17-5)		
Viscosity, kinematic	1,488 mm²/s	
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information

Section 12. Ecological information	
12.1. Toxicity	
Ecology - general	

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, shortterm (acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-

: Not classified (Based on available data, the classification criteria are not met)

term (chronic)	ong— : Not classified (Based on available data, the classification criteria are not met)
Glycerol (56-81-5)	
LC50 - Fish [1]	54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
Acetic acid (64-19-7)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 300,82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 300,82 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	> 300,82 mg/l Test organisms (species): Skeletonema costatum
ethanol/ ethyl alcohol (64-17-5)	
LC50 - Fish [1]	14,2 g/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

ethanol/ ethyl alcohol (64-17-5)	
ErC50 algae	275 mg/l Source: ECHA
NOEC (chronic)	9,6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

12.2. Persistence and degradability

ORGANIC STRAWBERRY FLAVOUR FR-0292		
Persistence and degradability Not rapidly degradable		
Glycerol (56-81-5)		
Persistence and degradability Not rapidly degradable		
Acetic acid (64-19-7)		
Persistence and degradability Not rapidly degradable		
ethanol/ ethyl alcohol (64-17-5)		
Persistence and degradability Not rapidly degradable		

12.3. Bioaccumulative potential

Acetic acid (64-19-7)	
Partition coefficient n-octanol/water (Log Pow) -0,17 Source: ECHA	
ethanol/ ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow) -0,32 Source: ICSC	
12 / Mobility in soil	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting

instructions.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1197 UN 1197 UN 1197		UN 1197
14.2. UN proper shipping name		
EXTRACTS, LIQUID Extracts, liquid		Extracts, liquid
Transport document description		
UN 1197 EXTRACTS, LIQUID, 3, III, (D/E) UN 1197 EXTRACTS, LIQUID, 3, III UN 1197 Extracts, liquid, 3, II		UN 1197 Extracts, liquid, 3, III

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

ADR	IMDG	IATA
14.3. Transport hazard class(es)		
3	3	3
3	3	3
14.4. Packing group		
III	Ш	III
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-E EmS-No. (Spillage): S-D	Dangerous for the environment: No
No supplementary information available	1	

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1 Special provisions (ADR) : 601 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T2 (ADR)

Portable tank and bulk container special : TP1

provisions (ADR)

Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Operation (ADR) : S2 Hazard identification number (Kemler No.) : 30 Orange plates

30 1197

Tunnel restriction code (ADR) : D/E EAC code : 3YE

Transport by sea

Special provisions (IMDG) : 223, 955 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : TP1 Stowage category (IMDG) : A

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Properties and observations (IMDG) : Usually consist of alcoholic solutions. Miscibility with water depends upon the

composition.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3 ERG code (IATA) : 3L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

VOC ordinance (ChemVOCFarbV)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BlmSchV) : Is not subject to the Major Accidents Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol/ Ethyl alcohol is listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - : Ethanol/ Ethyl alcohol is listed

Borstvoeding

SZW-lijst van reprotoxische stoffen – : Ethanol/ Ethyl alcohol is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – : Ethanol/ Ethyl alcohol is listed

Ontwikkeling

Denmark

Class for fire hazard : Class II-1
Store unit : 5 liter

Classification remarks : R10 <H226;H319>; Emergency management guidelines for the storage of flammable

liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact

with the product

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended). Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).

Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141). ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other	SECTION 16: Other information		
Abbreviations and ad	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Abbreviations and acronyms:	
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.