Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 Issue date: 7/25/2024 Version: 1.0

me

SélectArC

1.1. Product ide	ntifion		l of the company/L		
	numer	. NAissterrag			
Product form : Mixture					
Product name			LAVOUR CH-0273		
Product code		: CHOC-CH0273			
1.2. Relevant id	entified uses of the substanc	e or mixture and	d uses advised agains	t	
Relevant identifie	d uses				
Main use category			Professional use		
1.3. Details of the	ne supplier of the safety data	i sheet			
SELECTAROME SA 45 Bd Marcel Pagr PA Aromagrasse FR 06130 GRASSE France T +33 4.93.36.22.2 reglementaire@se	nol 22, F 04.93.40.71.72				
	telephone number				
Country/Area	Organisation/Company	Addr	ess	Emergency number	Comment
France	ORFILA			+33 1 45 42 59 59	
Fidile	ORFILA			+55 1 45 42 59 59	
Flammable liquids	ge/eye irritation, Category 2	H226 H319			
-	FUH-statements: see section 16				
Full text of H- and Adverse physicoc	EUH-statements: see section 16 hemical, human health and env and vapour. Causes serious eye i	ironmental effects	:		
Full text of H- and Adverse physicoc Flammable liquid 2.2. Label eleme	hemical, human health and env and vapour. Causes serious eye i ents Ig to Regulation (EC) No. 1272/2	ironmental effects irritation.	GHS07		
Full text of H- and Adverse physicoc Flammable liquid 2.2. Label eleme Labelling accordir Hazard pictogram	hemical, human health and env and vapour. Causes serious eye i ents Ig to Regulation (EC) No. 1272/2	ironmental effects irritation. 2008 [CLP] : :	<u>(</u>)		
Full text of H- and Adverse physicoc Flammable liquid 2.2. Label eleme Labelling accordir Hazard pictogram Signal word (CLP)	hemical, human health and env and vapour. Causes serious eye i ents og to Regulation (EC) No. 1272/2 s (CLP)	ironmental effects irritation. 2008 [CLP] : GHS02 : Warning : H226 - Flamma	<u>(</u>)		
Full text of H- and Adverse physicoc Flammable liquid 2.2. Label eleme Labelling accordir	hemical, human health and env and vapour. Causes serious eye i ents og to Regulation (EC) No. 1272/2 s (CLP)	ironmental effects irritation. 2008 [CLP] : GHS02 : Warning : H226 - Flamma H319 - Causes : P210 - Keep av sources. No sn P280 - Wear p	GHS07 able liquid and vapour. serious eye irritation. way from heat, hot surfanoking. rotective gloves, protective	aces, sparks, open flames a tive clothing, eye protectio Get medical advice/attentic	n, face protection.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

SECTION 3: Composition/information on ingredients

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (FR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	15 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319
butanedione / diacetyl substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 431-03-8 EC-No.: 207-069-8	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.
4.3. Indication of any immediate medical at	tention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substance	ce or mixture
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.		
For non-emergency personnel			
Protective equipment	: Wear recommended personal protective equipment.		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.		
For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for contain	nment and cleaning up		
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures agains static discharge. Flammable vapours may accumulate in the container. Use explosion- proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.
Packaging materials	: Store always product in container of same material as original container.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection 8.1. Control parameters National occupational exposure and biological limit values

butanedione / diacetyl (431-03-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Diacetyl; Butanedione	
IOEL TWA	0.07 mg/m ³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

butanedione / diacetyl (431-03-8)	
0.02 ppm	
IOEL STEL	0.36 mg/m ³
	0.1 ppm
Regulatory reference COMMISSION DIRECTIVE (EU) 2017/164	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection: Safety glasses

Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: brown.	
Odour	: Characteristic.	
Odour threshold	: Not available	
Melting point	: Not applicable	
Freezing point	: Not available	
Boiling point	: Not available	
Flammability	: Not available	
Lower explosion limit	: Not available	
Upper explosion limit	: Not available	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Flash point	: 31 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.03 (1.01 – 1.05)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable
9.2 Other information	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
Flammable liquid and vapour.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)	
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)	
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)	
ethanol; ethyl alcohol (64-17-5)		
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560	
LD50 oral	8300 mg/kg bodyweight Animal: mouse	
butanedione / diacetyl (431-03-8)		
LD50 oral rat	1580 mg/kg	
LD50 dermal rat	5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
butanedione / diacetyl (431-03-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
Viscosity, kinematic	1.488 mm²/s
11.2. Information on other hazards	

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short– term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long– term (chronic)	: Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	275 mg/l Source: ECHA
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'
butanedione / diacetyl (431-03-8)	
LC50 - Fish [1]	88015.43 mg/l Source: Ecological Structure Activity Relationships
EC50 96h - Algae [1]	38624.133 mg/l Source: Ecological Structure Activity Relationships
12.2. Persistence and degradability	
CHOCOLATE FLAVOUR CH-0273	
Persistence and degradability	Not rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

ethanol; ethyl alcohol (64-17-5)		
ersistence and degradability Not rapidly degradable		
butanedione / diacetyl (431-03-8)		
Persistence and degradability	ersistence and degradability Not rapidly degradable	
12.3. Bioaccumulative potential		
ethanol; ethyl alcohol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow) -0.32 Source: ICSC		
butanedione / diacetyl (431-03-8)		
Partition coefficient n-octanol/water (Log Pow) -1.34		
12.4. Mobility in soil		
butanedione / diacetyl (431-03-8)		
1obility in soil 4.5 Source: HSDB		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
.2.7. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations 13.1. Waste treatment methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Flammable vapours may accumulate in the container. Do not re-use empty containers.

SECTION 14: Transport information In accordance with ADR / IMDG / IATA ADR IMDG IATA 14.1. UN number or ID number UN 1197 UN 1197 UN 1197 14.2. UN proper shipping name EXTRACTS, LIQUID EXTRACTS, LIQUID Extracts, liquid **Transport document description** UN 1197 EXTRACTS, LIQUID, 3, III, (D/E) UN 1197 EXTRACTS, LIQUID, 3, III UN 1197 Extracts, liquid, 3, III 14.3. Transport hazard class(es) 3 3 3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

ADR	IMDG	IATA
14.4. Packing group		
Ш	Ш	III
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-E EmS-No. (Spillage): S-D	Dangerous for the environment: No
No supplementary information available		
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: F1	
Special provisions (ADR)	: 601	
Limited quantities (ADR)	: 51	
Excepted quantities (ADR)	: E1	
Packing instructions (ADR)	: P001, IBC03, LP01, R001	
Mixed packing provisions (ADR)	: MP19	
Portable tank and bulk container instructions (ADR)	: T2	
Portable tank and bulk container special provisions (ADR)	: TP1	
Гank code (ADR)	: LGBF	
/ehicle for tank carriage	: FL	
ransport category (ADR)	: 3	
Special provisions for carriage - Packages (ADR)	: V12	
Special provisions for carriage - Operation (ADR)	: 52	
Hazard identification number (Kemler No.)	: 30	
Orange plates	30 1197	
Tunnel restriction code (ADR)	: D/E	
EAC code	: 3Y	
Transport by sea		
Special provisions (IMDG)	: 223, 955	
Limited quantities (IMDG)	: 5 L	
Excepted quantities (IMDG)	: E1	
Packing instructions (IMDG)	: P001, LP01	
BC packing instructions (IMDG)	: IBC03	
Fank instructions (IMDG)	: T2	
Fank special provisions (IMDG)	: TP1	
Stowage category (IMDG)	: A	
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Mise composition.	cibility with water depends upon the
Air transport		
PCA Excepted quantities (IATA)	: E1	
PCA Limited quantities (IATA)	: Y344	
PCA limited quantity max net quantity (IATA)	: 10L	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List) Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC) Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acr	Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Abbreviations and acronyms:	
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vРvВ	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Full text of H- and EUH-statements:	
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.